

Artykuły naukowe dotyczące skuteczności fizykoterapii

- Adie S, Kwan A, Naylor JM, Harris IA, Mittal R, Cryotherapy following total knee replacement (Review), The Cochrane Library 2012, Issue 9
- Arora M, Harvey LA, Glinsky JV, Nier L, Lavrencic L, Kifley A, Cameron ID. Electrical stimulation for treating pressure ulcers. Cochrane Database of Systematic Reviews 2020, Issue 1. Art. No.: CD012196
- Bekhet A, Bochkezhanian V, Saab I, Gorgey A , The Effects of Electrical Stimulation Parameters in Managing Spasticity After Spinal Cord Injury: A Systematic Review Am J Phys Med Rehabil.2019 Jun;98(6):484-499.
- Berghmans B, Hendriks E, Bernards A, de Bie R, Omar MI, Electrical stimulation with non-implanted electrodes for urinary incontinence in men (Review), The Cochrane Library 2013, Issue 6
- Berry H, Fernandes L, Bloom B, Clark RJ, Hamilton EB. Clinical study comparing acupuncture, physiotherapy, injection and oral anti-inflammatory therapy in shoulder-cuff lesions. Curr Med Res Opin 1980;7:121-6.
- Bobacz K, Granninger WB, Amoyo L, Smolen JS. Effect of pulsed electromagnetic fields on proteoglycan biosynthesis of articular cartilage is age dependent. Ann Rheum Dis 2006;65:949-51.
- Brosseau L, Judd MG, Marchand S, Robinson VA, Tugwell P, Wells G et al. Transcutaneous electrical nerve stimulation (TENS) for the treatment of rheumatoid arthritis in the hand. Cochrane Database Syst Rev 2003;3:CD004377.
- Brosseau L, Robinson V, Wells G, Debie R, Gam A, Harman K et al. Low level laser therapy (Classes I, II and III) for treating rheumatoid arthritis. Cochrane Database Syst Rev 2005;4:CD002049.
- Brosseau L, Welch V, Wells GA, de Bie R, Gam A, Harman K, Morin M, Shea B, Tugwell P, Low level laser therapy (Classes I, II and III) for treating rheumatoid arthritis (Review), The Cochrane Library 2010, Issue 7
- Brosseau L, Yonge KA, Robinson V, Marchand S, Judd M, Wells G et al. Thermotherapy for treatment of osteoarthritis. Cochrane Database Syst Rev 2003;4:CD004522
- Brosseau LU, Pelland LU, Casimiro LY, Robinson VI, Tugwell PE, Wells GE. Electrical stimulation for the treatment of rheumatoid arthritis. Cochrane Database Syst Rev 2002;2:CD003687.
- Buchbinder R, Green SE, Youd JM, Assendelft WJ, Barnsley L, Smidt N. Systematic review of the efficacy and safety of shock wave therapy for lateral elbow pain. J Rheumatol 2006;33:1351-63.
- Cacchio A, Paolini M, Barile A, Don R, Paulis F, Calvisi V. Effectiveness of radial shock wave therapy for calcific tendinitis of the shoulder: single blind RCT. Phys Ther 2006;86:672-82.
- Calis HT, Berberoglu M, Calis M. Are ultrasound, laser and exercise superior to each other in the treatment of subacromial impingement syndrome? A randomized clinical trial. Eur J Phys Rehabil Med 2011;47:375-80.
- Casale R, Damiani C, Maestri R, Wells CD. Pain and electrophysiological parameters are improved by combined 830-1064 high-intensity LASER in symptomatic carpal tunnel syndrome versus Transcutaneous Electrical Nerve Stimulation. A randomized controlled study. Eur J Phys Rehabil Med 2013;49:205- 11.

- Casimiro L, Brosseau L, Robinson V, Milne S, Judd M, Well G et al. Therapeutic ultrasound for the treatment of rheumatoid arthritis. Cochrane Database Syst Rev 2002;3:CD003787.
- Chang KV, Chen SY, Chen WS, Tu YK, Chien KL. Comparative effectiveness of focused shock wave therapy of different intensity levels and radial shock wave therapy for treating plantar fasciitis: a systematic review and network meta-analysis. Arch Phys Med Rehabil 2012;93:1259-68.
- Chang WD, Wu JH, Yang WJ, Jiang JA. Therapeutic effects of low-level laser on lateral epicondylitis from differential interventions of Chinese-Western medicine: systematic review. Photomed Laser Surg 2010;28:327-36.
- Chen RC, Li XY, Guan LL, Guo BP, Wu WL, Zhou ZQ, et al. Effectiveness of neuromuscular electrical stimulation for the rehabilitation of moderate-to-severe COPD: a meta-analysis. Int J Chron Obstruct Pulmon Dis 2016; 11:2965-75.
- Chen YW, Chang KH, Chen HC, Liang WM, Wang YH, Lin YN. The effects of surface neuromuscular electrical stimulation on post-stroke dysphagia: a systemic review and meta-analysis. Clin Rehabil 2016;30:24-35.
- Chow RT, Johnson MI, Lopes-Martins RA, Bjordal JM. Efficacy of low-level laser therapy in the management of neck pain: a systematic review and meta-analysis of randomised placebo or active-treatment controlled trials. Lancet 2009; 374:1897-908.
- Cichoń N., Bijak M., Miller E., Saluk J. Extremely low frequency electromagnetic field (ELF-EMF) reduces oxidative stress and improves functional and psychological status in ischemic stroke patients. Bioelectromagnetics 2017; 38(5): 386-396
- Cichoń N., Rzeźnicka P., Bijak M., Miller E., Miller S., Saluk J. Extremely low frequency electromagnetic field reduces oxidative stress during the rehabilitation of post-acute stroke patients. Advances in Clinical and Experimental Medicine 2018; 10.17219/acem/73699
- Cichoń N, Bijak M, Czarny P, Miller E, Synowiec E, Śliwiński T, Saluk-Bijak J. Increase in Blood Levels of Growth Factors Involved in the Neuroplasticity Process by Using an Extremely Low Frequency Electromagnetic Field in Post-stroke Patients Czasopismo: Front Aging Neurosci Szczegóły: 2018 : Vol. 10, nr 294, s. 1-11
- Cichoń N, Bijak M, Miller E, Synowiec E, Śliwiński T, Saluk-Bijak J. Tytuł: Modulation of antioxidant enzyme gene expression by extremely low frequency electromagnetic field in post-stroke patients Czasopismo: Scand J Clin Lab Invest Szczegóły: 2018 : V. 78, no. 7-8, p. 626-631
- Cichoń N, Bijak M, Czarny P, Miller E, Synowiec E, Śliwiński T, Szemraj J, Saluk-Bijak J. Tytuł: Benign Effect of Extremely Low-Frequency Electromagnetic Field on Brain Plasticity Assessed by Nitric Oxide Metabolism during Poststroke Rehabilitation. Czasopismo: Oxid Med Cell Longev Szczegóły: 2017 : -, art. ID 2181942
- Cichon N, Saluk-Bijak J, Miller E, Sliwinski T, Synowiec E, Wigner P , Bijak M. Evaluation of the effects of extremely low frequency electromagnetic field on the levels of some inflammatory cytokines in post-stroke patients, J Rehabil Med, doi: 10.2340/16501977-2623
- Clijsen R., Brunner A., Barbero M., Clarys P., Taeymans J., Effects of low-level laser therapy on pain in patients with musculoskeletal disorders: a systematic review and meta-analysis, Eur J Phys Rehabil Med, 2017 Aug;53(4):603-610
- Cossins L, Okell RW, Cameron H, Simpson B, Poole HM, Goebel A. Treatment of complex regional pain syndrome in adults: A systematic review of randomized controlled trials published from June 2000 to February 2012. Eur J Pain 2013;17:158-73.

- Curtis D, Fallows S, Morris M, McMakin C. The efficacy of frequency specific microcurrent therapy on delayed onset muscle soreness. *J Bodyw Mov Ther* 2010;14:272-9.
- Dakowicz A, Kuryliszyn-Moskal A, Kosztyła-Hojna B, Moskal D, Latosiewicz R. Comparison of the long-term effectiveness of physiotherapy programs with low-level laser therapy and pulsed magnetic field in patients with carpal tunnel syndrome. *Adv Med Sci* 2011;56:270-4.
- Ebenbichler GR, Erdogan CB, Resch KL, Martin A, Funovics, Kainberger F et al. Ultrasound therapy for calcific tendinitis of the shoulder. *N Engl J Med.* 1999;340:1533-8.
- Eilander HJ, van Heugten CM, Wijnen VJ, Croon MA, de Kort PL, Bosch DA, Prevo AJ. Course of recovery and prediction of outcome in young patients in a prolonged vegetative or minimally conscious state after severe brain injury: An exploratory study. *J Pediatr Rehabil Med* 2013; 6: 73-83.
- Eilander HJ, Wijnen VJ, Scheirs JG, de Kort PL, Prevo AJ. Children and young adults in a prolonged unconscious state due to severe brain injury: outcome after an early intensive neurorehabilitation programme. *Brain Inj* 2005; 19: 425-36.
- Eilander HJ, Wijnen VJ, Schouten EJ, Lavrijsen JC. Ten-to-twelve years after specialized neurorehabilitation of young patients with severe disorders of consciousness: A follow-up study. *Brain Inj* 2016; 30: 1302-10.
- Electrotherapy modalities for adhesive capsulitis (frozen shoulder) (Review) Copyright © 2014 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd. Pag 29.
- Eraifej J, Clark W, France B, Desando S, Moore D, Effectiveness of upper limb functional electrical stimulation after stroke for the improvement of activities of daily living and motor function: a systematic review and meta-analysis, Eraifej et al. *Systematic Reviews* (2017) 6:40 DOI 10.1186/s13643-017-0435-5
- Eraifej J, Clark W, France B, Desando S, Moore D. Effectiveness of upper limb functional electrical stimulation after stroke for the improvement of activities of daily living and motor function: a systematic review and meta-analysis. *Syst Rev.* 2017 Feb 28;6(1):40.
- Fallah A., Mirzaei A., Gutknecht N., Demneh A., S., Clinical effectiveness of low-level laser treatment on peripheral somatosensory neuropathy, *Lasers Med Sci*, 2017 Apr;32(3):721-728.
- Frasca G, Maggi L, Padua L, Ferrara PE, Granata G, Minciotti I et al. Short-term effects of local microwave hyperthermia on pain and function in patients with mild to moderate carpal tunnel syndrome: a double blind randomized sham-controlled trial. *Clin Rehabil.* 2011;25:1109-18.
- Galasso O, Amelio E, Riccelli DA, Gasparini G. Short-term outcomes of extracorporeal shock wave therapy for the treatment of chronic non calcific tendinopathy of the supraspinatus:a double-blind, randomized, placebo-controlled trial. *BMC Musculoskeletal Disorders* 2012;13:86.
- Ganesan K, Gengadharan AC, Balachandran C, Manohar BM, Puvanakrishnan R. Low frequency pulsed electromagnetic field--a viable alternative therapy for arthritis. *Indian J Exp Biol* 2009;47:939-48.
- Giggins OM, Fullen BM, Coughlan GF. Neuromuscular electrical stimulation in the treatment of knee osteoarthritis: a systematic review and meta-analysis. *Clin Rehabil* 2012; 26:867-81.
- Gurcay E, Yuzer S, Eksioglu E, Bal A, Cakci A. Stanger bath therapy for ankylosing spondylitis: illusion or reality? *Clin Rheumatol* 2008;27:913-7.

- Haake M, Deike B, Thon A, Schmitt J. Exact focusing of ESWT for calcifying tendinopathy. *Clin Orthop Relat Res* 2002;397:323-31.
- Häuser W, Arnold B, Eich W, Felde E, Flügge C, Henningsen P et al. Management of fibromyalgia syndrome--an interdisciplinary evidence-based guideline. *Ger Med Sci* 2008;6:Doc14.
- Honda Y.,Sakamoto J., Hamaue Y.,Kataoka H., Kondo Ryo Sasabe Y.,Goto K., Fukushima T., Oga S., Sasaki R., Natsumi Tanaka N., Nakano J., and Minoru Okita, Effects of Physical-Agent Pain Relief Modalities for Fibromyalgia Patients: A Systematic Review and Meta-Analysis of Randomized Controlled Trials, Hindawi Pain Research and Management Volume 2018,
- Hosker G, Cody JD, Norton CC. Electrical stimulation for faecal incontinence in adults. *Cochrane Database of Systematic Reviews* 2007, Issue 3. Art. No.: CD001310.
- Howlett OA, Lannin NA, Ada L, McKinstry C. Functional electrical stimulation improves activity after stroke: a systematic review with meta-analysis. *Arch Phys Med Rehabil* 2015;96:934-43.
- Imoto AM, Peccin S, Almeida GJ, Saconato H, Atallah ÁN. Effectiveness of electrical stimulation on rehabilitation after ligament and meniscal injuries: a systematic review. *Sao Paulo Med J* 2011;129:414-23.Larsson ME, Käll I, Nilsson-Helander K. Treatment of patellar tendinopath -a systematic review of randomized controlled trials. *Knee Surg Sports Traumatol Arthrosc* 2012;20:1632-46.
- Jang H, Lee H. Meta-analysis of pain relief effects by laser irradiation on joint areas. *Photomed Laser Surg* 2012;30:405-17.
- Jeon JH, Jung YJ, Lee JY, Choi JS, Mun JH, Park WY et al. The effect of extracorporeal shock wave therapy on myofascial pain syndrome. *Ann Rehabil Med* 2012;36:665-74.
- Koybasi M, Borman P, Kocaoglu S, Ceceli E. The effect of additional therapeutic ultrasound in patients with primary hip OA: a randomized placebo-controlled study. *Clin Rheumatol* 2010;29:1387-94.
- Kroeling P, gross A, goldsmith CH, Burnie SJ, Haines T, Graham N, Brant A. Electrotherapy for neck pain. *Cochrane Database Syst Rev* 2009;4:CD004251.
- Kroeling P, Gross A, Graham N, Burnie SJ, Szeto G, Goldsmith CH, Haines T, Forget M, Electrotherapy for neck pain (Review), *The Cochrane Library* 2013, Issue 8
- Langhorst J, Häuser W, Bernardy K, Lucius H, Settan M, Winkelmann A et al. Complementary and alternative therapies for fibromyalgia syndrome. Systematic review, meta-analysis and guideline. *Schmerz* 2012;26:311-7.
- Laufer Y, Dar G. Effectiveness of thermal and athermal short-wave diathermy for the management of knee osteoarthritis: a systematic review and meta-analysis. *Osteoarthritis Cartilage* 2012;20:957-66.
- Li X., Medical M., Zhang L.,Master M.,Gu S.,, M. Doctora, Sun J., M. Bachelora , Qin Z., M. Masterc, Yue J.,, M. Master , Zhong Y., PhDe, Ding N., M. Master, Rui Gao R., M. Doctor, Comparative effectiveness of extracorporeal shock wave, ultrasound, low-level laser therapy, noninvasive interactive neurostimulation, and pulsed radiofrequency treatment for treating plantar fasciitis A systematic review and network meta-analysis, Li et al. *Medicine* (2018)
- Li H., Xiong Y., Zhou W., Liu Y., Liu J., Xue H., Hu L., Panayi A., Bobin Mi B., Liu G., Shock-wave therapy improved outcome with plantar fasciitis: a meta-analysis of randomized controlled trials, 2019 Dec;139(12):1763-1770.
- Li S, Yu B, Zhou D, He C, Zhuo Q, Hulme JM, Electromagnetic fields for treating osteoarthritis (Review), *The Cochrane Library* 2013, Issue 12

- Liao X, Xing G, Guo Z, Jin Y, Tang Q, He B, et al. Repetitive transcranial magnetic stimulation as an alternative therapy for dysphagia after stroke: a systematic review and meta-analysis. *Clin Rehabil* 2017;31:289-298.
- Lombardi F, Taricco M, De Tanti A, Telaro E, Liberati A. Sensory stimulation of brain-injured individuals in coma or vegetative state: results of a Cochrane systematic review. *Clin Rehabil* 2002; 16: 464-72.
- Loyola-Sanches A, Richardson J, MacIntyre NJ. Efficacy of ultrasound therapy for management of knee OA: a systematic review with meta-analysis. *Osteoarthritis Cartilage* 2010;18:1117-26.
- Luedtke K, Rushton A, Wright C, Geiss B, Juergens TP, May A. Transcranial direct current stimulation for the reduction of clinical and experimentally induced pain: a systematic review and meta-analysis. *Clin J Pain* 2012;28:452-61.
- Marlow NM, Bonilha HS, Short EB. Efficacy of transcranial direct current stimulation and repetitive transcranial magnetic stimulation for treating fibromyalgia syndrome: a systematic review. *Pain Pract* 2013;13:131-45.
- Moen MH, Rayer S, Schipper M, Schmikli S, Weir A, Tol JL et al. Shockwave treatment for medial tibial stress syndrome in athletes;a prospective controlled study. *Br J Sports Med* 2012;46:253-7.
- Mouzopoulos G, Stamatakos M, Mouzopolus D, Tzurbakis M. ESWT for shoulder calcific tendonitis:a systematic review. *Skeletal Radiol* 2007;36:803-11.
- Page MJ, Green S, Kramer S, Johnston RV, McBain B, Buchbinder R, Electrotherapy modalities for adhesive capsulitis (frozen shoulder) (Review), The Cochrane Library 2014, Issue 10
- Page MJ, Green S, Mrocki MA, Surace SJ, Deitch J, McBain B, Lyttle N, Buchbinder Electrotherapy modalities for rotator cuff disease. *Cochrane Database of Systematic Reviews* 2016, Issue 6. Art. No.: CD012225.
- Page MJ, O'Connor D, Pitt V, Massy-Westropp N. Therapeutic ultrasound for carpal tunnel syndrome. *Cochrane Database Syst Rev* 2012;1:CD009601.
- Page MJ, O'Connor D, Pitt V, Massy-Westropp N, Therapeutic ultrasound for carpal tunnel syndrome (Review), The Cochrane Library 2013, Issue 3
- Pelland L, Brosseau L, Casimiro L, Welch V, Tugwell P, Wells GA, Electrical stimulation for the treatment of rheumatoid arthritis (Review), The Cochrane Library, 2010, Issue 7
- Perron M, Malouin F. Acetic acid iontophoresis and ultrasound for the treatment of calcifying tendinitis of the shoulder: randomized controlled trial. *Arch Phys Med Rehabil* 1997;78:379-84.
- Piligian G, Herbert R, Hearns M, Dropkin J, Landsbergis P, Cherniack M. Evaluation and management of chronic workrelated musculoskeletal disorders of the distal upper extremity. *Am J Ind Med* 2000;37:75-93.
- Price CIM, Pandyan AD, Electrical stimulation for preventing and treating post-stroke shoulder pain (Review), The Cochrane Library 2000, Issue 4
- Regnaux JP, Lefevre-Colau MM, Trinquart L, Nguyen C, Boutron I, Brosseau L, Ravaud P. High-intensity versus low-intensity physical activity or exercise in people with hip or knee osteoarthritis. *Cochrane Database of Systematic Reviews* 2015, Issue 10. Art. No.: CD010203.
- Robinson V, Brosseau L, Casimiro L, Judd M, Shea B, Wells G et al. Thermotherapy for treating rheumatoid arthritis. *Cochrane Database Syst Rev* 2002;2:CD002826.
- Rocha CS, Lanferdini FJ, Kolberg C, Silva MF, Vaz MA, Partata WA et al. Interferential therapy effect on mechanical pain threshold and isometric torque after

- delayed onset muscle soreness induction in human hamstrings. *J Sports Sci* 2012;30:733-42.
- Rompe JD, Zoellner J, Nafe B. Shock wave therapy versus conventional surgery in the treatment of calcifying tendinitis of the shoulder. *Clin Orthop Res* 2001;387:72-82.
 - Rowe V, Hemmings S, Barton C, Malliaras P, Maffulli N, Morrissey D. Conservative management of midportion Achilles tendinopathy: A mixed methods study, integrating systematic review and clinical reasoning. *Sports Med* 2012;42:941-67.
 - Rutjes AWS, Nüesch E, Sterchi R, Jüni P. Therapeutic ultrasound for osteoarthritis of the knee or hip. *Cochrane Database Syst Rev* 2010;1:CD003132.
 - Rutjes AWS, Nüesch E, Sterchi R, Jüni P , Therapeutic ultrasound for osteoarthritis of the knee or hip (Review), The Cochrane Library 2010, Issue 1
 - Rutjes AWS, Nuesch E, Sterchi R, Kalichman L, Hendriks E, Osiri M et al. Transcutaneous electrostimulation for osteoarthritis of the knee. *Cochrane Database Syst. Rev* 2009;4:CD00283.
 - Ryang We S, Koog YH, Jeong KI, Wi H. Effects of pulsed electromagnetic field on knee osteoarthritis: a systematic review. *Rheumatology (Oxford)* 2013;52:815-24.
 - Segal NA, Toda Y, Huston J, Saeki Y, Shimizu M, Fuchs H et al. Two configurations of static magnetic fields for treating rheumatoid arthritis of the knee: a double-blind clinical trial. *Arch Phys Med Rehabil* 2001;82:1453-60.
 - Shariat A., Ghayourb N., M., A., N.; Singh, Fiataronee S., M., Honarpishe A., M., Roshanakc Ghaffari A..Selka M., Soofiaa N., The effects of cycling with and without functional electrical stimulation on lower limb dysfunction in patients post-stroke: A systematic review with meta-analysis, *NeuroRehabilitation*, vol. 44, no. 3, pp. 389-412, 2019
 - Soyupek F, Kutluhan S, Uslusoy G, Ilgun E, Eris S, Askin A. The efficacy of phonophoresis on electrophysiological studies of the patients with carpal tunnel syndrome. *Rheumatol Int* 2012;32:3235-42.
 - Speed CA. Extracorporeal shock-wave therapy in the management of chronic soft-tissue conditions. *J Bone Joint Surg Br* 2004;86:165-71.
 - Staalesen Strumse YA, Nordvag BY, Stanghelle JK, Røisland M, Winther A, Pajunen PA et al. Efficacy of rehabilitation for patients with ankylosing spondylitis: comparison of a four-week rehabilitation programme in a Mediterranean and a Norwegian setting. *J Rehabil Med* 2011;43:534-42.
 - Stein C., Gassen Fritsch C., G., Robinson C., Sbruzzi G., Della Méa Plentz R., Effects of Electrical Stimulation in Spastic Muscles After Stroke: Systematic Review and Meta-Analysis of Randomized Controlled Trials, STROKEAHA.115.009633. Epub 2015
 - Stewart F, Berghmans B, Bø K, Glazener CMA. Electrical stimulation with non-implanted devices for stress urinary incontinence in women. *Cochrane Database of Systematic Reviews* 2017, Issue 12. Art. No.: CD012390. DOI: 10.1002/14651858.CD012390.pub2
 - Stroheim K, Gjersing L, Bolstad K, Risberg MA. Extracorporeal shock wave therapy (ESWT) in chronic musculoskeletal pain. *Tidsskr Nor Laegeforen* 2010;130:2360-4.
 - Sussmilch-Leitch SP, Collins NJ, Bialocerkowski AE, Warden SJ, Crossley KM. Physical therapies for Achilles tendinopathy: systematic review and meta-analysis. *J Foot Ankle Res* 2012;5:15.
 - Terhorst L, Schneider MJ, Kim KH, Goozdich LM, Stilley CS. Complementary and alternative medicine in the treatment of pain in fibromyalgia: a systematic review of randomized controlled trials. *J Manipulative Physiol Ther* 2011;34:483-96.

- Transcutaneous electrical nerve stimulation for acute pain (Review) Copyright © 2015 The Cochrane Collaboration. Published by John Wiley & Sons, Ltd. Pag 20.
- Vaile J, Halson S, Gill N, Dawson B. Effect of hydrotherapy on the signs and symptoms of delayed onset muscle soreness. Eur J Appl Physiol 2008;102:447-55.
- Valen PA, Foxworth J. Evidence supporting the use of physical modalities in the treatment of upper extremity musculoskeletal conditions. Curr Opin Rheumatol 2010;22:194-204.
- Vavken P, Arrich F, Schuhfried O, Dorotka R. Effectiveness of pulsed electromagnetic field therapy in the management of osteoarthritis of the knee: a meta-analysis of randomized controlled trials. J Rehabil Med 2009;41:406-11.
- Wheeler AA, Jacobson BH. Effect of whole body vibration on delayed onset muscular soreness, flexibility, and power. J Strength Cond Res 2013;27:2527-32.
- Williams JA, Imamura M, Fregni F. Updates on the use of noninvasive brain stimulation in physical and rehabilitation medicine. J Rehabil Med 2009;41:305-11
- Winkelmann A, Häuser W, Friedel E, Moog-Egan M, Seeger D, Settan M et al. Physiotherapy and physical therapies for fibromyalgia syndrome. Systematic review, meta-analysis and guideline. Schmerz 2012;26:276-86.
- Yan C., Xiong Y., Chen L Endo Y., Hu L., Liu M., Li J., Xue H., Abududilibaier A., Mi B. and Liu G., A comparative study of the efficacy of ultrasonics and extracorporeal shock wave in the treatment of tennis elbow: a metaanalysis of randomized controlled trias, Journal of Orthopaedic Surgery and Research (2019) 14:248
- Yang X., He H., W., Perry A., T., He C., Effects of Pulsed Electromagnetic Field Therapy on Pain, Stiffness, Physical Function, and Quality of Life in Patients With Osteoarthritis: A Systematic Review and Meta-Analysis of Randomized Placebo-Controlled Trials, Meta-Analysis Phys Ther., 2020 Jul 19;100(7):1118-1131
- Yousefi-Nooraie R, Schonstein E, Heidari K, Rashidian A, Pennick V, Akbari-Kamrani M, Irani S, Shakiba B, Mortaz Hejri S, Jonaidi AR, Mortaz-Hejri S, Low level laser therapy for nonspecific low-back pain (Review), The Cochrane Library 2008, Issue 2
- Yousefi-Nooraie R, Schonstein E, Heidari K, Rashidian A, Pennick V, Akbari-Kamrani M et al. Low level laser therapy for nonspecific low-back pain. Cochrane Database Syst Rev 2008;(2):CD005107.
- Zhang C., Xie Y., Luo X., Ji Q., Lu C., He C., Wang P., Effects of therapeutic ultrasound on pain, physical functions and safety outcomes in patients with knee osteoarthritis: a systematic review and meta-analysis, Clin Rehabil., 2016 Oct;30(10):960-971